Author Index of Volume 170

Agarwala, U. C., 209
Ajò, D., 95
Armstrong, B. M., 37
Ayoko, G. A., 89

Baird, D. M., 53
Baisden, P. A., 135
Baldas, J., 233
Banbery, H. J., 23
Betz, P., 45
Bigoli, F., 245
Bino, A., 45
Blasse, G., 149
Boas, J. F., 233
Bohra, R., 191
Bonati, F., 199
Bontchev, P. R., 137
Boricha, A. B., 213
Bovio, B., 199
Bowen, M. E., 37
Braga, D., 17
Breikss, A. I., 75
Brianese, N., 95
Buranda, T., 81
Burgess, J., 241

Camali, M., 225
Campo, J. A., 139
Cano, M., 139
Caruso, F., 225
Castellato, U., 95
Castro, I., 251
Chakladar, S., 27
Cingolani, A., 199
Clare, B. W., 165, 171
Clark, M. L., 37
Colmanet, S. F., 233
Crumbliss, A. L., 161

Das, K., 191
Davison, A., 75
Depaoli, G., 109
Deplano, P., 245
Dommann, A., 5

Falzone, S., 53
Faus, J., 251
Feldman, B. J., 115
Foley, B. L., 37

Garg, B. S., 177
Gencheva, G., 137
Geoffroy, G. L., 11
Gheller, S. F., 115
Gil, V. M. S., 59
Gipson, S. L., 151
Grandella, C., 17
Gramlich, V., 5
Grant, P. M., 135
Graziani, R., 95
Grepioni, F., 17
Gutierrez-Puebla, E., 251

Hamilton, J. B., 37
Hamor, T. A., 23
Hathcox, S., 151
Hefter, G. T., 165, 171
Heras, J. V., 139
Hodgson, D. J., 65
Horn, E.-M., 155
Horváth, A., 1
Hulliger, F., 5

Jing-Long Du, 45
Jones, A. G., 75
Jones, C. J., 23
Julve, M., 251

Kabassanov, K., 137
Kapur, L., 177
Khan, B. T., 129
Khan, N. H., 213
Kinard, W. F., 135
Kostromina, N. A., 181
Kuhn, N., 155
Kureshy, R. I., 213

Leonesi, D., 199
Leung, H.-K., 157
Lin, C. C., 151
Lo, L. S.-M., 45
Lobbia, G. G., 199
Lorenzotti, A., 199

Mackay, M. F., 233
Macklin, P. D., 11
Mahaffy, C. A. L., 37
Malhotra, M., 103
Manchanda, V. K., 141
Marques, H. M., 259
Marsh, J. H., 259
Mattogno, G., 225
May, P. M., 165
McCleverty, J. A., 23
MaLachlan, K. L., 161
McQuillan, F. S., 23
Mehrotra, R. C., 191
Mellor, J. R., 259
Miglani, A., 103
Mintorovitch, J., 157
Mirkin, C. A., 11
Mishra, A., 209
Mitewa, M., 137
Mohapatra, P. K., 141
Monge, A., 251
Munro, O. Q., 259

Nag, K., 27
Najmuddin, K., 129
Nazarenko, A. Y., 181
Newton, W. E., 115
Nunes, M. T., 59

Oki, A. R., 65
Okuno, H. (Y.), 123
Ossola, F., 95
Ovejero, P., 139

Pandey, R. K., 157
Patel, M. S., 241
Paul, P., 27
Pellinghelli, M. A., 245
Petter, W., 5
Pinkerton, A. A., 81
Porchia, M., 95
Puri, J. K., 103

Rawlings, J., 37
Rhengold, A. L., 11
Richardson, D. R., 165
Rivarola, E., 225
Ros, R., 17
Rossetto, G., 95
Roulet, R., 17

Satterlee, J. D., 157
Schreiner, S., 145
Schultz, F. A., 115
Sen Gupta, A. K., 191
Shaikh, Z. A., 213
Shamsuddi, S., 129
Sharma, V. K., 103
Siedow, J. N., 161
Smith, K. M., 157
Starr, T. R., 37
Strawczynski, A., 17

© Elsevier Sequoia/Printed in Switzerland

Taqui Khan, M. M., 213
Thompson, R. C., 45
Tomohiro, T., 123
Trogu, E. F., 245

Uoto, K., 123
Uzonyi, Zs., 1

Valle, G., 109
Vaska, L., 145
Verdaguer, M., 251
Vetsch, H., 5
Vittadini, A., 95
Vogler, A., 149
Voloshin, Y. Z., 181

Walton, S. P., 161
Webb, J., 165, 171
Wilairat, P., 165
Wis Vitolo, L. M., 165, 171

Yu, J. Y., 145

Zakeeruddin, S. M., 129
Zanella, P., 95
Zanonato, P., 109
Zhecheva, E., 137

Subject Index of Volume 170

Acid complexes
  ^1H and ^{13}C NMR evidence for stereospecific formation of (D,L)-malic uranates, 59
Actinide complexes
  complexation of actinides with ionisable macrocyclic ligands, 141
Alkyl derivatives
  synthesis and reactivity of dimethylindium derivatives; molecular and electronic structure of bis(μ-diethylamido)-tetramethyldi-In(III), 95
Alkylidene complexes
  synthesis and characterization of heterobinuclear μ-methylene complex $(CO)_4FePt(PPh_3)_2$-(μ-CH_2), 11
Aluminium complexes
  solvation of tris-maltolatoaluminium(III) and related complexes in methanol–water mixtures, 241
Amido derivatives
  synthesis and reactivity of dimethylindium derivatives; molecular and electronic structure of bis(μ-diethylamido-tetramethyldi-In(III), 95
Amine complexes
  adducts of Sn(IV) and organotin(IV) derivatives with 2,2′-azopyridine; crystal and molecular structure of $SnMe_2Br_2AZP$ and further Mössbauer and photoelectronic spectroscopic studies, 225
  ligand substitution reactions of tetrachlorobis-(triphenylphosphine)Tc(IV), 75
Amino acid complexes
  mixed ligand complexes of *cis*-dichloroethionine Pd(II) with purines, pyrimidines and nucleosides, 129
Antimony complexes
  heterocyclic compounds containing Sb; synthesis, physicochemical properties, crystal and molecular structure of 2-(β-hydroxyethylthio) 1,3,2-oxathiastibolane, 191
  luminescence of $[SbCl_6]^{3-}$ in crystals and in solution, 149
Aquo complexes
  preparation and structure of bis(tetraphenylarsonium) *trans*-aquatetracyanonitridotechnetate(V) pentahydrate; ESR studies of $[TcN(CN)_4(OH_2)]^{2-}/[TcNCl_4]^-$ system, 233
Azide complexes
  stereochemical aspects of cycloaddition reaction products of coordinated azide in Pd complexes $[Pd(N{-}N{-}S)(N_3)]$, 27

Bidentate ligand complexes
  Ag derivatives of various bis(pyrazol-1-yl)alkanes; their behaviour in solution and X-ray crystal structure of $[\{Me_2C(pz)_2\}_2Ag]ClO_4$, 199
  crystal structure and dynamic behaviour of $Ir_4(CO)_7(\mu\text{-}CO)_3[\mu\text{-}Ph_2P(CH_2)_4PPh_2]$, 17
  dissociation of solvent molecules from $Mo_2O_3I_2(dtc)_2(solv)_2$ in solutions of non-coordinating solvents, 53
  formation of $Fe(bpy)(CN)_4^{3-}$ and $Fe(DMbpy)(CN)_4^{3-}$ in photo-induced redox reaction of $Fe(bpy)(CN)_4^{2-}$ and $Fe(DMbpy)(CN)_4^{2-}$, 1
  heterobimetallic complexes via *fac*-$Mo(CO)_3(\eta^2\text{-}bpy)(\eta^1\text{-}dppm)$; complexes of Sn, Hg or Rh derivatives, 139
  homogeneous catalytic production of hydrogen and other molecules from water–DMF solutions, 145
  structure and properties of poly-bis(μ-monophenylphosphinato)bis(formamide) chain polymers of Cd(II), Mn(II) and Co(II); antiferromagnetic exchange in Mn and Co compounds, 45
  synthesis and magnetic properties of bis(μ-hydroxo)bis[(2,2′-bipyridyl)Cu(II)] squarate; crystal structure of bis(μ-hydroxo)bis[(2,2′-bipyridylCu(II)] squarate tetrahydrate, 251
  trigonal distortion of CrS_6 chromophore in dithiophosphinate complexes of Cr(III), 81
Bimetallic complexes
  spectral characterization of bimetallic complexes of thiosemicarbazone of monoacetylferrocene with Cu(II) halides, 177
Biological activity
  Fe chelators of pyridoxal isonicotinoyl hydrazone class; ionisation characteristics of ligands and relevance to biological properties, 165
Bismuth complexes
  crystal structure of $BiFe(CN)_6 \cdot 4H_2O$ and $BiCo(CN)_6 \cdot 4H_2O$, 5
Boron complexes
  macrobicyclic d-metal tris-dioximates obtained by cross-linking with p-block elements; template synthesis and properties of macrobicyclic B-containing Fe(II) dioximates, 181

Cadmium complexes
  complexes of 4,5,6,7-tetrathiocino[1,2-*b*:3,4-*b*′]-diimidazolyl-1,3,8,10-tetraethyl-2,9-dithione (Et_4todit) with group IIb metal halides; crystal and molecular structure of $(Cd(II)Et_4todit Cl_2)_n$, 245
Carbonyl complexes
  crystal structure and dynamic behaviour of $Ir_4(CO)_7(\mu\text{-}CO)_3[\mu\text{-}Ph_2P(CH_2)_4PPh_2]$, 17

© Elsevier Sequoia/Printed in Switzerland

heterobimetallic complexes via *fac*-$Mo(CO)_3(\eta^2$-bpy)(η^1-dppm); complexes of Sn, Hg or Rh derivatives, 139
influence of restricted rotation on spectral properties of acetophenonetricarbonylchromium complexes, 37
synthetic applications of oxidative cleavage of Mo–Hg bonds in $[CpMo(CO)_2(PPh_3)]_2Hg$, 151
Carboxylic acid complexes
physicochemical studies of solvolysed products from various Lewis acids in tribromoacetic acid as solvent, 103
Catalysis
homogeneous catalytic production of hydrogen and other molecules from water–DMF solutions, 145
synthesis, characterization and catalytic properties of Mn(II) Schiff base complexes, 65
Chelate complexes
Ag derivatives of various bis(pyrazol-1-yl)alkanes; their behaviour in solution and X-ray crystal structure of $[\{Me_2C(pz)_2\}_2Ag]ClO_4$, 199
dissociation of solvent molecules from $Mo_2O_3I_2(dtc)_2(solv)_2$ in solutions of non-coordinating solvents, 53
formation of $Fe(bpy)(CN)_4^{3-}$ and $Fe(DMbpy)(CN)_4^{3-}$ in photo-induced redox reaction of $Fe(bpy)(CN)_4^{2-}$ and $Fe(DMbpy)(CN)_4^{2-}$, 1
thermally dependent structure of Ni(II)–hexacyclen complex, 137
trigonal distortion of CrS_6 chromophore in dithiophosphinate complexes of Cr(III), 81
Chelate ligand complexes
Fe chelators of pyridoxal isonicotinoyl hydrazone class
formation constants with Fe(III) and Fe(II), 171
ionisation characteristics of ligands and relevance to biological properties, 165
Chromium complexes
influence of restricted rotation on spectral properties of acetophenonetricarbonylchromium complexes, 37
trigonal distortion of CrS_6 chromophore in dithiophosphinate complexes of Cr(III), 81
Cluster complexes
crystal structure and dynamic behaviour of $Ir_4(CO)_7(\mu\text{-}CO)_3[\mu\text{-}Ph_2P(CH_2)_4PPh_2]$, 17
Cobalamin complexes
coordination of imidazole and its derivatives by aquocobalamin, 259
Cobalt complexes
coordination of imidazole and its derivatives by aquocobalamin, 259
crystal structure of $BiFe(CN)_6\cdot 4H_2O$ and $BiCo(CN)_6\cdot 4H_2O$, 5
reduction of dodecatungstocobaltate(III) by aqueous solutions of hydrazinium ion, 89
Copper complexes
spectral characterization of bimetallic complexes of thiosemicarbazone of monoacetylferrocene with Cu(II) halides, 177
synthesis and magnetic properties of bis(μ-hydroxo)bis[(2,2′-bipyridyl)Cu(II)] squarate; crystal structure of bis(μ-hydroxo)bis[(2,2′-bipyridyl)Cu(II)] squarate tetrahydrate, 251
Crystal structure(s)
of $BiFe(CN)_6\cdot 4H_2O$ and $BiCo(CN)_6\cdot 4H_2O$, 5
of bis(μ-diethylamido)-tetramethyldi-In(III), 95
of bis(μ-hydroxo)bis[(2,2′-bipirydyl)Cu(II)], 251
of bis(tetraphenylarsonium) *trans*-aquatetracyanonitridotechnetate(V) pentahydrate, 233
of $(Cd(II)Et_4toditCl_2)_n$, 245
of $(\eta^2\text{-}C_5H_5)SmCl(THF)_2(\mu\text{-}Cl)_2SmCl_2(THF)_3$, 109
of $(CO)_4FePt(PPh_3)_2(\mu\text{-}CH_2)$, 11
of dithiophosphinate complexes of Cr(III), 81
of 2-(β-hydroxyethylthio) 1,3,2-oxathiastibolane, 191
of $Ir_4(CO)_7(\mu\text{-}CO)_3[\mu\text{-}Ph_2P(CH_2)_4PPh_2]$, 17
of $[\{Me_2C(pz)_2\}_2Ag]ClO_4$, 199
of $[\{ORe(OC_6H_4\text{-}2\text{-}CMe{=}NCH_2{-})_2(\mu\text{-}O)\}_2\text{-}Re(OC_6H_4\text{-}2\text{-}CMe{=}NCH_2{-})_2]Cl\cdot H_2O\cdot 0.5CH_2Cl_2$, 23
of poly-bis(μ-monophenylphosphinato)bis(formamide) chain polymers of Cd(II), Mn(II) and Co(II), 45
of $SnMe_2Br_2$ AZP, 225
Cyanide complexes
crystal structure of $BiFe(CN)_6\cdot 4H_2O$ and $BiCo(CN)_6\cdot 4H_2O$, 5
formation of $Fe(bpy)(CN)_4^{3-}$ and $Fe(DMbpy)(CN)_4^{3-}$ in photo-induced redox reaction of $Fe(bpy)(CN)_4^{2-}$ and $Fe(DMbpy)(CN)_4^{2-}$, 1
new route for synthesis of $[(\eta^5\text{-}C_5H_5)L_2Ru(\mu\text{-}CN)\text{-}RuL'_2(\eta^5\text{-}C_5H_5)]^+X^-$ (L, L′ = PPh_3, $AsPh_3$ or $SbPh_3$; L_2, L'_2 = $PPh_2CH_2CH_2PPh_2$ or $PPh_2\text{-}CH_2PPh_2$; X^- = BF_4^-, PF_6^- or BPh_4^-) using 1,3,5-triazine, 209
preparation and structure of bis(tetraphenylarsonium) *trans*-aquatetracyanonitridotechnetate(V) pentahydrate; ESR studies of $[TcN(CN)_4(OH_2)]^{2-}/[TcNCl_4]^-$ system, 233
Cyclopentadienyl complexes
monocyclopentadienyl lanthanide(III) complexes; synthesis and crystallographic characterization of organosamarium(III) complex; $(\eta^5\text{-}C_5H_5)\text{-}SmCl(THF)_2(\mu\text{-}Cl)_2SmCl_2(THF)_3$, 109
new route for synthesis of $[(\eta^5\text{-}C_5H_5)L_2Ru(\mu\text{-}CN)\text{-}RuL'_2(\eta^5\text{-}C_5H_5)]^+X^-$ (L, L′ = PPh_3, $AsPh_3$ or $SbPh_3$; L_2, L'_2 = $PPh_2CH_2CH_2PPh_2$ or $PPh_2\text{-}CH_2PPh_2$; X^- = BF_4^-, PF_6^- or BPh_4^-) using 1,3,5-triazine, 209
synthetic applications of oxidative cleavage of Mo–Hg bonds in $[CpMo(CO)_2(PPh_3)]_2Hg$, 151

Electrochemistry
effects of oxidation state, solvent acidity and thiophenol on electrochemical properties of Fe–Mo cofactor from nitrogenase, 115
of heat-extracted methanogenic bacterial cofactor F_{430}, 161
Electronic structure
of bis(μ-diethylamido)-tetramethyldi-In(III), 95

Ferrocene complexes
spectral characterization of bimetallic complexes of thiosemicarbazone of monoacetylferrocene with Cu(II) halides, 177

Halide complexes
ligand substitution reactions of tetrachlorobis-(triphenylphosphine)Tc(IV), 75
luminescence of $[SbCl_6]^{3-}$ in crystals and in solution, 149
Heme complexes
assignment of proton hyperfine NMR resonances in met–cyano monomer hemoglobin components from *Glycera dibranchiata* using deuterium-labelled hemes, 157
Hemoglobin complexes
assignment of proton hyperfine NMR resonances in met–cyano monomer hemoglobin components from *Glycera dibranchiata* using deuterium-labelled hemes, 157
Heterobimetallic complexes
via *fac*-$Mo(CO)_3(\eta^2$-bpy)(η^1-dppm); complexes of Sn, Hg or Rh derivatives, 139
Heterocyclic ligand complexes
heterocyclic compounds containing Sb; synthesis, physicochemical properties, crystal and molecular structure of 2-(β-hydroxyethylthio) 1,3,2-oxathiastibolane, 191
new pyrrolyl Fe complexes, 155
Hydrogenation
homogeneous catalytic production of hydrogen and other molecules from water–DMF solutions, 145
Hydroxo complexes
synthesis and magnetic properties of bis(μ-hydroxo)bis[(2,2′-bipyridyl)Cu(II)] squarate; crystal structure of bis(μ-hydroxo)bis[(2,2′-bipyridyl)Cu(II)] squarate tetrahydrate, 251

Imidazole complexes
coordination of imidazole and its derivatives by aquocobalamin, 259
Indium derivatives
synthesis and reactivity of dimethylindium derivatives; molecular and electronic structure of bis(μ-diethylamido-tetramethyldi-In(III), 95
Iodate complexes
thermodynamics of aqueous coordination of Th with iodate anion, 135

Iridium complexes
crystal structure and dynamic behaviour of $Ir_4(CO)_7(\mu\text{-}CO)_3[\mu\text{-}Ph_2P(CH_2)_4PPh_2]$, 17
Iron complexes
crystal structure of $BiFe(CN)_6\cdot 4H_2O$ and $BiCo(CN)_6\cdot 4H_2O$, 5
effects of oxidation state, solvent acidity and thiophenol on electrochemical properties of Fe–Mo cofactor from nitrogenase, 115
Fe chelators of pyridoxal isonicotinoyl hydrazone class
formation constants with Fe(III) and Fe(II), 171
ionisation characteristics of ligands and relevance to biological properties, 165
formation of $Fe(bpy)(CN)_4^{3-}$ and $Fe(DMbpy)(CN)_4^{3-}$ in photo-induced redox reaction of $Fe(bpy)(CN)_4^{2-}$ and $Fe(DMbpy)(CN)_4^{2-}$, 1
macrocyclic d-metal tris-dioximates obtained by cross-linking with p-block elements; template synthesis and properties of macrobicyclic B-containing Fe(II) dioximates, 181
new pyrrolyl Fe complexes, 155
preparation of Fe_4S_4 Fe–S protein analogues with hydrophobic macrocyclic tetrathiol ligand anchored to 38-membered cyclophane type skeleton, 123
solvation of tris-maltolatoaluminium(III) and related complexes in methanol–water mixtures, 241
spectral characterization of bimetallic complexes of thiosemicarbazone of monoacetylferrocene with Cu(II) halides, 177
synthesis and characterization of heterobinuclear μ-methylene complex $(CO)_4FePt(PPh_3)_2(\mu\text{-}CH_2)$, 11

Ketone complexes
influence of restricted rotation on spectral properties of acetophenonetricarbonylchromium complexes, 37
Kinetics and mechanism
coordination of imidazole and its derivatives by aquocobalamin, 259
Fe chelators of pyridoxal isonicotinoyl hydrazone class; ionisation characteristics of ligands and relevance to biological properties, 171

Lanthanide complexes
monocyclopentadienyl lanthanide(III) complexes; synthesis and crystallographic characterization of organosamarium(III) complex; (η^5-C_5H_5)-$SmCl(THF)_2(\mu\text{-}Cl)_2SmCl_2(THF)_3$, 109
Lewis acid complexes
physicochemical studies of solvolysed products from various Lewis acids in tribromoacetic acid as solvent, 103

Luminescence
of $[SbCl_6]^{3-}$ in crystals and in solution, 149

Macrocyclic ligand complexes
complexation of actinides with ionisable macrocyclic ligands, 141
macrobicyclic d-metal tris-dioximates obtained by cross-linking with p-block elements; template synthesis and properties of macrobicyclic B-containing Fe(II) dioximates, 181
preparation of Fe_4S_4 Fe–S protein analogues with hydrophobic macrocyclic tetrathiol ligand anchored to 38-membered cyclophane type skeleton, 123
thermally dependent structure of Ni(II)–hexacyclen complex, 137
Magnetism
synthesis and magnetic properties of bis(μ-hydroxo)bis[(2,2′-dipyridyl)Cu(II)] squarate; crystal structure of bis(μ-hydroxo)bis[(2,2′-bipyridyl)Cu(II)] squarate tetrahydrate, 251
Manganese complexes
synthesis, characterization and catalytic properties of Mn(II) Schiff base complexes, 65
Mercury complexes
synthetic applications of oxidative cleavage of Mo–Hg bonds in $[CpMo(CO)_2(PPh_3)]_2Hg$, 151
Metal complexes
structure and properties of poly-bis(μ-monophenylphosphinato)bis(formamide) chain polymers of Cd(II), Mn(II) and Co(II); antiferromagnetic exchange in Mn and Co compounds, 45
Molybdenum complexes
dissociation of solvent molecules from $Mo_2O_3I_2(dtc)_2(solv)_2$ in solutions of non-coordinating solvents, 53
effects of oxidation state, solvent acidity and thiophenol on electrochemical properties of Fe–Mo cofactor from nitrogenase, 115
heterobimetallic complexes via *fac*-$Mo(CO)_3(\eta^2\text{-bpy})(\eta^1\text{-dppm})$; complexes of Sn, Hg or Rh derivatives, 139
synthetic applications of oxidative cleavage of Mo–Hg bonds in $[CpMo(CO)_2(PPh_3)]_2Hg$, 151

Nickel complexes
electrochemistry of heat-extracted methanogenic bacterial cofactor F_{430}, 161
thermally dependent structure of Ni(II)–hexacyclen complex, 137
Nitride complexes
preparation and structure of bis(tetraphenylarsonium) *trans*-aquatetracyanonitridotechnetate(V) pentahydrate; ESR studies of $[TcN(CN)_4(OH_2)]^{2-}/[TcNCl_4]^-$ system, 233
NMR spectroscopy
assignment of proton hyperfine NMR resonances in met–cyano monomer hemoglobin components from *Glycera dibranchiata* using deuterium-labelled hemes, 157

Organotin complexes
adducts of Sn(IV) and organotin(IV) derivatives with 2,2′-azopyridine; crystal and molecular structure of $SnMe_2Br_2AZP$ and further Mössbauer and photoelectronic spectroscopic studies, 225
Oxo complexes
dissociation of solvent molecules from $Mo_2O_3I_2(dtc)_2(solv)_2$ in solutions of non-coordinating solvents, 53

Palladium complexes
mixed ligand complexes of *cis*-dichloroethionine Pd(II) with purines, pyrimidines and nucleosides, 129
stereochemical aspects of cycloaddition reaction products of coordinated azide in Pd complexes $[Pd(N–N–S)(N_3)]$, 27
Photolysis
formation of $Fe(bpy)(CN)_4^{3-}$ and $Fe(DMbpy)(CN)_4^{3-}$ in photo-induced redox reaction of $Fe(bpy)(CN)_4^{2-}$ and $Fe(DMbpy)(CN)_4^{2-}$, 1
Platinum complexes
homogeneous catalytic production of hydrogen and other molecules from water–DMF solutions, 145
synthesis and characterization of heterobinuclear μ-methylene complex $(CO)_4FePt(PPh_3)_2(\mu\text{-}CH_2)$, 11
Polydentate ligand complexes
complexes of 4,5,6,7-tetrathiocino[1,2-*b*:3,4-*b*′]-diimadozlyl-1,3,8,10-tetraethyl-2,9-dithione (Et_4todit) with group IIb metal halides; crystal and molecular structure of $(Cd(II)Et_4toditCl_2)_n$, 245
Polymer complexes
structure and properties of poly-bis(μ-monophenylphosphinato)bis(formamide) chain polymers of Cd(II), Mn(II) and Co(II); antiferromagnetic exchange in Mn and Co compounds, 45
Polynuclear complexes
reduction of dodecatungstocobaltate(III) by aqueous solutions of hydrazinium ion, 89
synthesis and X-ray crystal structure of trinuclear complex $[\{ORe(OC_6H_4\text{-}2\text{-}CMe{=}NCH_2{-})_2(\mu\text{-}O)\}_2Re(OC_6H_4\text{-}2\text{-}CMe{=}NCH_2{-})_2]Cl\cdot H_2O\cdot 0.5CH_2Cl_2$, 23

Rhenium complexes
synthesis and X-ray crystal structure of trinuclear complex $[\{ORe(OC_6H_4\text{-}2\text{-}CMe{=}NCH_2{-})_2(\mu\text{-}O)\}_2Re(OC_6H_4\text{-}2\text{-}CMe{=}NCH_2{-})_2]Cl\cdot H_2O\cdot 0.5CH_2Cl_2$, 23

Ruthenium complexes
new route for synthesis of $[(\eta^5\text{-}C_5H_5)L_2Ru(\mu\text{-}CN)\text{-}RuL'_2(\eta^5\text{-}C_5H_5)]^+X^-$ (L, L′ = PPh_3, $AsPh_3$ or $SbPh_3$; L_2, L'_2 = $PPh_2CH_2CH_2PPh_2$ or $PPh_2CH_2\text{-}PPh_2$; X^- = BF_4^-, PF_6^- or BPh_4^-) using 1,3,5-triazine, 209
synthesis, characterisation, oxygenation and carbonylation of Ru(III) Schiff base complexes, 213

Samarium complexes
monocyclopentadienyl lanthanide(III) complexes; synthesis and crystallographic characterization of organosamarium(III) complex; $(\eta^5\text{-}C_5H_5)\text{-}SmCl(THF)_2(\mu\text{-}Cl)_2SmCl_2(THF)_3$, 109
Schiff base complexes
synthesis, characterization
and catalytic properties of Mn(III) Schiff base complexes, 65
oxygenation and carbonylation of Ru(III) Schiff base complexes, 213
synthesis and X-ray crystal structure of trinuclear complex $[\{ORe(OC_6H_4\text{-}2\text{-}CMe{=}NCH_2{-})_2\text{-}(\mu\text{-}O)\}_2Re(OC_6H_4\text{-}2\text{-}CMe{=}NCH_2{-})_2]Cl\cdot H_2O\cdot 0.5CH_2Cl_2$, 23
Silver complexes
Ag derivatives of various bis(pyrazol-1-yl)alkanes; their behaviour in solution and X-ray crystal structure of $[\{Me_2C(pz)_2\}_2Ag]ClO_4$, 199
Solubility
solvation of tris-maltolatoaluminium(III) and related complexes in methanol–water mixtures, 241

Sulfur complexes
preparation of Fe_4S_4 Fe–S protein analogues with hydrophobic macrocyclic tetrathiol ligand anchored to 38-membered cyclophane type skeleton, 123

Technetium complexes
ligand substitution reactions of tetrachlorobis-(triphenylphosphine)Tc(IV), 75
preparation and structure of bis(tetraphenylarsonium) *trans*-aquatetracyanonitridotechnetate(V) pentahydrate; ESR studies of $[TcN(CN)_4\text{-}(OH_2)]^{2-}/[TcNCl_4]^-$ system, 233
Thermodynamics
of aqueous coordination of Th with iodate anion, 135
Thorium complexes
thermodynamics of aqueous coordination of Th with iodate anion, 135
Tin complexes
adducts of Sn(IV) and organotin(IV) derivatives with 2,2′-azopyridine; crystal and molecular structure of $SnMe_2Br_2AZP$ and further Mössbauer and photoelectronic spectroscopic studies, 225
Tungsten complexes
reduction of dodecatungstocobaltate(III) by aqueous solutions of hydrazinium ion, 89

Uranium complexes
^1H and ^{13}C NMR evidence for stereospecific formation of (D,L)-malic uranates, 59
Uranyl complexes
^1H and ^{13}C NMR evidence for stereospecific formation of (D,L)-malic uranates, 59